



---

---

## Non-silicon defoamer

### RP-6034

#### Features and advantages:

1. RP-6034 is a non-silicon defoamer with wide versatility. It is suitable for solvent-based and solvent-free coatings with strong foam suppression, defoaming and bubble breaking effect, especially for epoxy, polyester, UV and other systems.
2. RP-6034 can solve the problem of difficult defoaming in high viscosity system, has explosion-proof bubble property, can inhibit the introduction of bubbles during agitation and help the release of tiny bubbles from the paint.
3. RP-6034 is suitable for thick coating environment, to solve the problem of easy foaming and easy to produce heat rash when thick coating, and get a smooth coating surface.

#### Product Specifications:

appearance	Colorless to light yellow viscous
Active matter	» 90%
ingredient	Vinyl copolymer

**Application:** Used in various solvent-based systems and photocuring systems.

**Recommended dosage:** For the total amount 0.1-1.0%, please test the best dosage;

**Usage:** After adding, it should be mixed under a high enough shear force, and it is recommended to add before grinding.

Tianjin Ruike Chemical Co. LTD

Tel:+86 18526852692

Add:Room 116-11, 160 Xiangyuan Road, Jingjin Science and Technology Valley Industrial Park, Wuqing District, Tianjin

[tjrkhg@126.com](mailto:tjrkhg@126.com)

[www.rk-chem.com](http://www.rk-chem.com)



---

**Packing:** 25kg iron drum.

**Storage and Precautions:** This product has not been tested or stated to be suitable for medical or food use